

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
16 May 2002 (16.05.2002)

PCT

(10) International Publication Number
WO 02/38109 A1

(51) International Patent Classification⁷: **A61K 7/00**,
7/027, 7/075, 7/06, 7/48, 7/50

(21) International Application Number: **PCT/FI01/00975**

(22) International Filing Date:
9 November 2001 (09.11.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
20002470 10 November 2000 (10.11.2000) FI

(71) Applicant (for all designated States except US):
ORION CORPORATION NOIRO [FI/FI]; Lasihytti 1,
FIN-02780 Espoo (FI).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ISOHANNI, Tiina** [FI/FI]; Nissnikuntie 13 D 14, FIN-02430 Masala (FI). **KOLUNEN, Leena** [FI/FI]; Lielahdentie 2 A 12, FIN-00200 Helsinki (FI).

(74) Agent: **OY JALO ANT-WUORINEN AB**; Iso Roobertinkatu 4-6 A, FIN-00120 Helsinki (FI).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EC, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COSMETIC COMPOSITIONS CONTAINING CLOUDBERRY (RUBUS CHAMAEMORUS) SEED OIL

(57) Abstract: Cloudberry seed oil can be used for example in emulsion creams, lipsticks, hair cosmetics products, as well as in products for skin hygiene. It has many advantageous properties and effects, such as a skin and hair protecting and moisturizing effect, elasticity maintaining and/or improving effect as well as a skin softening effect.

WO 02/38109 A1

Cosmetic compositions containing cloudberry
(*Rubus chamaemorus*) seed oil

FIELD OF THE INVENTION

- 5 The present invention is directed to cosmetic compositions containing cloudberry
(*Rubus chamaemorus*) seed oil. Cloudberry seed oil can be used, for example, in
emulsion creams, lipsticks, hair cosmetics products, as well as in products for skin
hygiene.

10 BACKGROUND OF THE INVENTION

- Most plant oils contain unsaturated fatty acids, such as oleic, linoleic and linolenic
acids to various degrees. Also the seeds of berries are known to contain oils, the major
component of which are the triacylglycerols, which form an important energy reserve
15 for germinating seeds. The fatty acid composition of seed oil triacylglycerols varies
widely among plant species, and tends to be characteristic of particular plant families.

- The fatty acid composition of the seed oils of edible berries has been studied. One
study included the analysis of 22 common edible berries including cloudberry
20 (Johansson A. et al., *Z. Lebensm. Unters. Forsch. A* (1997) 204; 300-307). In this
study the seeds were separated from the berries, dried and crushed, and the oil
extracted with a mixture of chloroform and methanol, and the eluted neutral lipids
analysed for their fatty acid composition. Solvent extraction methods are, however,
not applicable for the preparation of substances intended for cosmetic use, due to an
insufficient degree of purity and the inclusion of solvent residues. Manninen et al
25 (Manninen, P. et al., *J. Agric. Food Chem.* 1997, 45, 2533-2538) describe the use of
supercritical fluid extraction for the extraction of oil from cloudberry seeds in order to
determine its composition.

According to the invention it has now been found that cloudberry seed oil which is prepared by supercritical fluid, especially carbon dioxide extraction is especially advantageous for inclusion in cosmetic compositions. In this way, many of the valuable components in cloudberry seed oil can be taken advantage of as cloudberry seed oil extracted in this way retains the natural volatile components, including the components responsible for the odor and the aromatic components with a preservative effect. In addition, it is possible to utilize the natural colour of the oil so extracted. In the cosmetic compositions according to the invention it is thus possible to reduce or even eliminate the need to add additional ingredients. The oil obtained by supercritical fluid extraction rather than by solvent extraction or distillation, is to its composition, appearance and aroma closer to the natural fractions than cloudberry seed oil prepared in accordance with other methods, such as solvent extraction. In addition it will be sufficiently pure for cosmetic purposes.

15 DETAILED DESCRIPTION OF THE INVENTION

According to the invention, the cloudberry seed oil included in the cosmetic compositions is prepared by supercritical fluid, typically carbon dioxide extraction. As stated above, supercritical fluid extraction of berries is known as such, as are also the process conditions used. Supercritical fluid extraction can be carried out in a range of temperatures and pressures, but typically a fairly moderate temperature is used, such as a temperature from around room temperature to 40-50 °C, and a pressure up to 30 MPa. This is well known to a person skilled in the art. By varying the process conditions it is possible to some extent to vary the composition, such as the lipid composition of the extracted oil. According to the invention it is, however, possible to secure that the product obtained contains, in addition to the desired fatty acids, the volatile compounds which are responsible for the odor of the oil and the preservative effect, as well as those ingredients which give the desired colour. By using supercritical carbon dioxide extraction it is thus possible to retain in the product the volatile compounds, which amount to appr. 4 to 5 % of the oil.

In the composition according to the invention it is advantageous to use oil which contains all possible fractions together. Typical components in cloudberry seed oil are linoleic and alpha-linolenic acids, carotenoids and plant sterols, as well as aromatic volatile compounds. Components which are advantageous for the composition according to the invention are, for example, carotenoids having anti-oxidant activity, and, in addition, providing the desired colour, free fatty acids, and volatile aromatic compounds, such as cinnamyl derivatives. These cinnamyl compounds give the cloudberry seed oil its typical odor. Only a few natural oils are equally fragrant as cloudberry seed oil. Depending on the concentration used, the cloudberry seed oil fragrance is retained by and pleasantly apparent also in the cosmetic composition according to the invention. In addition, cloudberry seed oil contains small amounts of benzoic acid, which is a typical preservative in cosmetics. Cloudberry seed oil is golden yellow or slightly orange to its colour and it also gives a pleasing natural yellow colour to the emulsion prepared. Thus many of the advantageous and desired properties of the cosmetic compositions according to the invention are derived from the extracted cloudberry seed oil.

Cloudberry seed oil and the composition containing the same have many advantageous properties and effects, such as skin and hair protecting and moisturizing effect, elasticity maintaining and/or enhancing effect as well as skin softening effect. In addition, cloudberry oil as well as the cosmetic compositions containing the same seem to possess both antioxidant activity as well as so called anti-wrinkle effect.

The cosmetic composition according to the invention contains, depending on the intended use of the composition, cloudberry seed oil preferably 0.01 to 20 % by weight.

The cosmetic composition according to the invention can be, for example, an emulsion cream, a lipstick, a hair cosmetics product or a product to be used for skin hygiene.

Such compositions can contain cosmetically acceptable substances or agents which are per se known to and chosen by the person skilled in the art according to the specific cosmetic composition desired. An illustrative list of such acceptable conventional substances are described in the following and in the examples.

5

The emulsion cream according to the invention containing cloudberry seed oil can be of the type oil-in-water emulsion, water-in-oil emulsion, water-oil-water emulsion or a microemulsion. The emulsion cream composition according to the invention contains cloudberry seed oil preferably 0.01 to 20 % by weight, more preferably 0.01 to 10 %
10 by weight and most preferably 1 to 5 % by weight.

In the emulsions according to the invention the cloudberry seed oil can be combined with betaine. In addition to moisturizing, betaine acts as a stabilizing factor in water-oil-water emulsions and regulates the viscosity in oil-in-water emulsions. In addition,
15 if the emulsion also contains pigments or solid particles, betaine acts as a dispersing factor for these. Betaine is included in the emulsion preferably in an amount of 1 to 10 % by weight, more preferably 2 to 5 % by weight. In the description of the invention as well as in the claims, betaine is intended to mean a compound with the chemical name trimethylglycine or trimethylammonium acetate.

20

In the emulsion creams according to the invention the cloudberry seed oil can be combined also with either synthetic or natural vitamins. The cloudberry seed oil can be combined with retinol and A-vitamin palmitate. On the other hand, the cloudberry seed oil can be combined with different E-vitamins and E-vitamin derivatives, C-
25 vitamin and its derivatives, panthenol and other B-vitamins and/or biotine. The composition contains synthetic or natural vitamins preferably 0.01 to 10 % by weight, more preferably 0.02 to 5 % by weight.

The emulsion cream composition according to the invention contains, in addition, one
30 or more adjuvants acceptable in the field of cosmetics, such as preservation agent,

thickening agent and other suitable additives, such as for example perfumes and/or colouring agents. Suitable preservation agents are for example parabens, phenoxyethanol, imidazolidinyl urea and methyldibromo glutaronitrile. These preservation agents can be used alone or combined with each other. As thickening agent any thickening agent suitable in the field of cosmetics can be used, as long as it is compatible with the other components of the composition, for example xantane gum and hydroxyethylcellulose, hydroxypropylmethylcellulose, Scelorotium gum, Chondrus Crispus, polyacrylates, polyacrylamides and magnesium aluminium silicate. Thickening agents can be used alone or in combination with each other.

10

In addition, one or more compounds acting as an emulsifier, i.e. a compound dispersing and stabilizing the oil in water, is needed in the emulsion cream composition. Useful emulsifiers are all non-ionic emulsifiers accepted by the cosmetic legislation, such as, for example, glyceryl stearate, PEG-5 glyceryl stearate, PEG-100 stearate, PEG-30 dipolyhydroxystearate, hydrogenated lecithine and PEG-8 bees wax, steareth-21, steareth-2, sorbitan olivate as well as a mixture of a fatty glucoside, such as for example cetearyl, cocoyl, or myristyl glucoside and a fatty alcohol, such as for example cetearyl, cetyl, stearyl or myristyl alcohol. In addition, of anionic emulsifiers, for example stearic acid, sodium hydroxide and triethanolamine are useful.

20

According to the invention cloudberry seed oil can be used also in the preparation of lipstick compositions. The lipstick compositions in accordance with the invention contain cloudberry seed oil 0.01 to 20 % by weight, preferably 0.5 to 10 % by weight and most preferably 1 to 5 % by weight.

25

The lipstick composition according to the invention contains in addition to cloudberry seed oil waxes, oils, colouring and pearlescent agents which are acceptable in the field of cosmetics and which are traditional components of lipstick compositions. Usable waxes are the natural waxes, such as bees wax, candelilla, carnauba, cereal based

30

waxes, jojoba wax and their derivatives, in addition paraffin waxes and synthetic polyethylenes. Another lipstick composition according to the invention is an emulsion composition which contains in addition to cloudberry seed oil water, betaine and/or xylitol as a moisturizing agent and one or more emulsifiers acceptable in the field of cosmetics. Betaine is included in the composition preferably in an amount of 0.1 to 5 % by weight, more preferably 1 to 3 % by weight. Xylitol is on the other hand included in the composition preferably 0.1 to 5 % by weight, more preferably 1 to 3 % by weight.

The lipstick compositions according to the invention can in addition contain one or more adjuvants and/or additives acceptable in the field of cosmetics, such as preservation agent. Suitable preservation agents are for example parabens, phenoxyethanol. These preservation agents can be used alone or in combination with each other.

Cloudberry seed oil can be used also in the preparation of hair cosmetics products. It can be used in wash and care products to impart shine to the hair and to improve the manageability of the hair. In addition, it can be used in products intended for special treatment of the scalp to treat and to moisturize the scalp. In addition cloudberry seed oil can be used for products intended for skin hygiene in order to impart elasticity and moisture to the skin.

The compositions according to the invention intended for washing the hair or the skin or for hair or scalp care contain cloudberry seed oil preferably in an amount of 0.01 to 20 % by weight, more preferably 0.1 to 20 % by weight, and most preferably 1 to 5 % by weight.

The compositions according to the invention intended for washing the hair or the skin contain, in addition to the washing substances, detergents, such as for example sodium lauryl ether sulphate, decyl glucoside, cocamidopropyl betaine, one or more

- adjuvants acceptable in the cosmetic field, such as a preservation agent, thickener and other suitable additives, such as perfumes and/or colouring agents. Suitable preservation agents are for example the parabens, phenoxyethanol, 5-bromo-5-nitro-1,3-dioxane and methyldibromo glutaronitrile. These preservation agents can be used alone or in combination with each other. As thickeners, any thickener suitable in the field of cosmetics can be used, as long as it is compatible with the other components of the composition, as examples sodium chloride and PEG-7 glyceryl cocoate can be mentioned.
- 10 The compositions according to the invention intended for hair or scalp care contain a cationically active substance, such as for example cetrimonium chloride, in addition an emulsion forming substance, such as for example cetyl alcohol, cetearyl alcohol, ceteareth-20. In addition, the compositions intended for hair or scalp care can contain one or more adjuvants acceptable in the field of cosmetics, such as a cellulose
- 15 derivative, ethanol and/or water.

The invention is illustrated by means of the following examples.

Example 1

20	A ready-for-use emulsion cream composition for facial and throat skin care contains	
		% by weight
	Aqua	add 100
	cyclopentasiloxane	6.2
	steareth-2	4.0
25	betaine	3.4
	steareth-21	2.0
	octyldodecanol	2.0
	stearic acid	2.0
	cetearyl alcohol	1.5
30	caprylic/capric triglyceride	1.0
	peg-30 dipolyhydroxystearate	1.0
	tocopheryl acetate	1.0
	Rubus chamaemorus, seed oil	0.01-10
	phenoxyethanol	0.74

	ppg-15 stearyl ether	0.60
	panthenol	0.50
	perfume	0.35
	dimethicone/	
5	vinyl dimethicon crosspolymer	0.28
	phospholipids	0.20
	chondrus crispus	0.16
	parabens	0.28
	magnesium ascorbyl phosphate	0.10
10	peg-8	0.06
	tocopherol	0.03
	glycerin	0.025
	ascorbyl palmitate	0.005
	sodium chloride	0.003
15	ascorbic acid	0.001

The described emulsion cream composition moisturizes, brightens and softens the skin. In addition it has anti-oxidant properties.

20 Example 2

A ready-for-use emulsion cream composition for facial and throat skin care:

	Aqua	add 100
	sorbitan olivate	15.0
25	vegetable oil	7.00
	squalane	11.0
	cyclopentasiloxane	7.6
	decyl cocoate	3.0
	glycerin	2.20
30	tocopheryl acetate	2.0
	sodium chloride	1.5
	c20-40 alcohols	1.0
	Rubus chamaemorus, seed oil	0.01-10
	c20-40 acid	0.85
35	phenoxyethanol	0.72
	aluminium/magnesium hydroxide	
	stearate	0.69
	dimethicone/vinyl dimethiconé	
	crosspolymer	0.28
40	perfume	0.20
	parabens	0.28
	polyethylene	0.15

	phospholipids	0.15
	retinol	0.03
	tocopherol	0.03
	ascorbyl palmitate	0.005
5	ascorbic acid	0.001
	citric acid	0.001
	retinyl palmitate	0.00001

10 The emulsion cream composition improves the revitalization of the skin. In addition, it reduces, softens and smoothes fine lines in the skin.

Example 3

A lipstick composition (emulsion) according to the invention

		%
15	Ricinus communis	add 100
	squalane	17.5
	candelilla cera	12.1
	apricot kernel oil peg-6 esters	8.0
	acetylated lanolin	5.9
20	Aqua	5.0
	peg-8 beeswax	4.7
	hydrogenated polydecene	4.0
	butyrospermum parkii	4.0
	isopropyl myristate	3.9
25	cera alba	2.3
	ethylcellulose	2.0
	xylitol/betaine	2.0
	polyethylene	2.0
	mica	1.8
30	arachidyl alcohol	1.4
	behenyl alcohol	1.3
	arachidyl glucoside	1.3
	perfume	1.0
	Rubus chamaemorus, seed oil	1.0
35	carnauba	0.9
	propylparaben	0.1
	peg-8	0.1
	tocopherol	0.035
	ascorbyl palmitate	0.006
40	ascorbic acid	0.001
	citric acid	0.001
	colours	4.8

The lipstick composition of emulsion type according to the invention moisturizes the lips and provides lip care. The end result on the lips is semi-matte.

5 Example 4

A lipstick composition according to the invention

		%
	Ricinus communis	add 100
	oleyl alcohol	20.0
10	candelilla cera	9.8
	cera alba	5.7
	acetylated lanolin	4.7
	isopropyl lanolate	4.0
	isopropyl myristate	3.2
15	hydrogenated polydecene	3.0
	ethylhexyl methoxycinnamate	2.0
	mica	1.8
	microcrystalline wax	1.6
	Rubus chamaemorus, seed oil	1.0
20	perfume	1.0
	carnauba	0.7
	propylparaben	0.09
	peg-8	0.04
	tocopherol	0.02
25	ascorbyl palmitate	0.003
	ascorbic acid	0.001
	citric acid	0.001
	colours	4.8

30 The lipstick composition according to the invention has a lip protecting and caring effect. It imparts to a high gloss to the lips.

Example 5

Use of cloudberry seed oil in hair cosmetics

a. washing products

	Basic formula	% by weight
	water	ad 100
5	detergents, e.g. NaLES	5-30
	co-tensides, e.g. cocamidopropyl betaine	1-10
	thickeners, e.g. cellulose derivatives	0.1-10
	moisturizers, e.g. sorbitol	0.1-10
	caring agents, e.g. cloudberry seed oil	0.1-20
10	preservatives, pH regulating agent, colour, perfume	

Cloudberry seed oil can be used in washing products to impart gloss to the hair and to improve the manageability of the hair.

15 b. caring or conditioning products

	basic formula	% by weight
	water	ad 100
	emulsifier, e.g. cetareth 20	0.1-10
20	oils, waxes and fatty alcohols	0.1-10
	thickeners, e.g. cellulose derivatives	0.1-10
	cationic surfactants, e.g. cetrimonium chloride	0.1-15
	caring oils (e.g. cloudberry seed oil)	0.1-20
	moisturizers, e.g. sorbitol	0.1-10
25	polymers	0.1-10
	preservation agents, pH regulating agents, perfume, colour	

Cloudberry seed oil can be used in caring products to impart gloss to the hair and to improve the manageability of the hair.

30

c. special caring products for scalp treatment

	basic formula	% by weight
	water	ad 100
35	ethanol	10-60
	moisturizing agents, e.g. sorbitol	0.1-10
	caring agents, e.g. cloudberry seed oil	0.1-20
	preservation agent, pH regulating agents, colour, perfume	

Products intended for special care are emulsions or creams which impart a caring and moisturizing effect to the scalp by means of the cloudberry seed oil.

5 Example 6

Products for washing the skin

	Basic formula	% by weight
10	water	ad 100
	detergents, e.g. Na LES	5-30
	co-tensides, e.g. cocamidopropyl betaine	1-10
	thickeners, e.g. cellulose derivatives	0.1-10
	moisturizers, e.g. sorbitol	0.1-10
15	caring agents, e.g. cloudberry seed oil	0.1-20
	preservation agent, pH regulating agent, colour, perfume	

Cloudberry seed oil can be used in washing products to impart elasticity and moisture to the skin.

20

Example 7

Deodorizing and antiperspiration products

25	Basic formula	% by weight
	water	ad 100
	emulsifiers, e.g. cetareth-20	0.1-10
	thickeners, e.g. cellulose derivatives	0.1-10
	ethanol	0.1-50
30	cloudberry seed oil	0.1-15
	antimicrobial agent, e.g. farnesol	0.1-10
	antiperspiration agent	0.1-30
	pH regulating agent, colour, perfume	

35

Claims

1. Cosmetic composition, characterized in that it contains cloudberry seed oil prepared by supercritical fluid extraction.
- 5 2. The cosmetic composition according to claim 1, characterized in that the supercritical fluid extraction is supercritical carbon dioxide extraction.
3. The composition according to claim 1 or 2, characterized in that it contains
10 0.01 to 20 % by weight of cloudberry seed oil.
4. The composition according to any one of claims 1 to 3, characterized in that it is an emulsion cream composition.
- 15 5. The composition according to claim 4, characterized in that it contains 0.01 to 10 % by weight of cloudberry seed oil.
6. The composition according to claim 5, characterized in that it contains 1 to 5 % by weight of cloudberry seed oil.
- 20 7. The composition according to any one of claims 4 to 6, characterized in that it in addition contains betaine.
8. The composition according to any one of the claims 4 to 7, characterized in
25 that in addition contains one or more synthetic or natural vitamins.
9. The composition according to any one of the claims 1 to 3, characterized in that it is a lipstick composition.

10. The composition according to claim 9, characterized in that it contains 0.5 to 20 % by weight of cloudberry seed oil.
- 5 11. The composition according to claim 10, characterized in that it contains 1 to 5 % by weight of cloudberry seed oil.
12. The composition according to any one of claims 9 to 11, characterized in that it in addition contains betaine.
- 10 13. The composition according to any one of claims 9 to 12, characterized in that it in addition contains xylitol.
14. The composition according to any one of claims 1 to 3, characterized in that it is a composition intended for washing hair or for hair and/or scalp care.
- 15 15. The composition according to claim 14, characterized in that it contains 0.1 to 20 % by weight of cloudberry seed oil.
- 20 16. The composition according to claim 15, characterized in that it contains 1 to 5 % by weight of cloudberry seed oil.
17. The composition according to any one of the claims 1 to 3, characterized in that it is a composition intended for skin hygiene.
- 25 18. The composition according to claim 17, characterized in that it contains 0.1 to 20 % by weight of cloudberry seed oil.
19. The composition according to claim 18, characterized in that it contains 1 to 5 % by weight of cloudberry seed oil.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 01/00975

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: A61K 7/00, A61K 7/027, A61K 7/075, A61K 7/06, A61K 7/48, A61K 7/50
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA, PAJ, CHEM.ABS.DATA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	STN International, file PROMT, PROMT accession no. 1999:692716, Klepacki, Laura: "Tova's calm approach to beauty"; & WWD, (15 Oct 1999) pp. 10 --	1-19
X	FR 2795958 A1 (CODIF INTERNATIONAL SA), 12 January 2001 (12.01.01), claim 8 --	1-19
X	FR 2720901 A1 (LABORATOIRE GERMANDRE), 15 December 1995 (15.12.95), page 3, line 4 - page 4, line 24, claims 1-6 --	1-19

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

12 February 2002

Date of mailing of the international search report

18-02-2002

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

GERD STRANDELL/BS
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 01/00975

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WPI/Derwent's abstract, Accession no. 1991-284723 week 9125, ABSTRACT OF JP2962558B2 (SHISEIDO CO LTD), 12 October 1999 (12.10.99) --	1-19
X	WPI/Derwent's abstract, Accession no. 2000-402798 week 0035, ABSTRACT OF JP2000007550 (SHISEIDO CO LTD), 11 January 2000 (11.01.00) --	1-19
X	J. Agric. Food Chem., Volume 45, No. 7, 1997, Pekka Manninen et al: "Large-Scale Supercritical Carbon Dioxide Extraction and Supercritical Carbon Dioxide Countercurrent Extraction of Cloudberry Seed Oil", pages 2533-2538 --	1-19
A	Journal of Chromatography A, Volume 787, No. 1-2, 1997, P. Manninen et al: "Supercritical fluid chromatography-gas chromatography of volatiles in cloudberry (<i>Rubus chamaemorus</i>) oil extracted with supercritical carbon dioxide", pages 276-282 --	1-19
A	WO 9813021 A1 (CULTOR LTD.), 2 April 1998 (02.04.98) --	7,12
A	WO 9118588 A1 (CULTOR LTD.), 12 December 1991 (12.12.91) --	7,12
P,X	WPI/Derwent's abstract, Accession no. 2001-194007 week 0120, ABSTRACT OF JP2000327555 (SHISEIDO CO LTD), 28 November 2000 (28.11.00) -- -----	1-19

INTERNATIONAL SEARCH REPORT
Information on patent family members

28/01/02

International application No.
PCT/FI 01/00975

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
FR	2795958	A1	12/01/01	FR 2795959 A	12/01/01
FR	2720901	A1	15/12/95	NONE	
WO	9813021	A1	02/04/98	EP 0930870 A	28/07/99
				FI 103711 B	00/00/00
				FI 963849 A	27/03/98
				JP 2001500887 T	23/01/01
WO	9118588	A1	12/12/91	AT 141154 T	15/08/96
				DE 69121405 D,T	23/01/97
				EP 0531387 A,B	17/03/93
				SE 0531387 T3	
				ES 2093102 T	16/12/96